

2014 年度

Impacts of patient characteristics on the effectiveness of landiolol in AF/AFL patients complicated with LV dysfunction: Subgroup analysis of the J-Land study.

Kinugawa K, Nagai R, Inoue H, Atarashi H, Seino Y, Yamashita T, Shimizu W, Aiba T, Kitakaze M, Sakamoto A, Ikeda T, Imai Y, Daimon T, Fujino K, Nagano T, Okamura T, Hori M; J-Land Investigators.

Adv Ther. 2014 Apr;31(4):426-39. doi: 10.1007/s12325-014-0111-2. Epub 2014 Mar 19. Erratum in: Adv Ther. 2014 May;31(5):577-8.

PMID:24643403

Free PMC Article

Progression to the persistent form in asymptomatic paroxysmal atrial fibrillation.

Senoo K, Suzuki S, Otsuka T, Sagara K, Matsuno S, Kano H, Uejima T, Oikawa Y, Yajima J, Nagashima K, Kirigaya H, Sawada H, Aizawa T, Yamashita T.

Circ J. 2014;78(5):1121-6. Epub 2014 Feb 20.

PMID:24553324

Free Article

Validation of CHA₂DS₂-VASc and HAS-BLED scores in Japanese patients with nonvalvular atrial fibrillation: an analysis of the J-RHYTHM Registry.

Okumura K, Inoue H, Atarashi H, Yamashita T, Tomita H, Origasa H; J-RHYTHM Registry Investigators.

Circ J. 2014;78(7):1593-9. Epub 2014 Apr 22.

PMID:24759791

Free Article

Long-term clinical outcomes after everolimus- and sirolimus-eluting coronary stent implantation: final 3-year follow-up of the randomized evaluation of sirolimus-eluting versus everolimus-eluting stent trial.

Shiomi H, Kozuma K, Morimoto T, Igarashi K, Kadota K, Tanabe K, Morino Y, Akasaka T, Abe M, Suwa S, Muramatsu T, Kobayashi M, Dai K, Nakao K, Uematsu M, Tarutani Y, Fujii K, Simonton CA, Kimura T; RESET Investigators.

Circ Cardiovasc Interv. 2014 Jun;7(3):343-54. doi: 10.1161/CIRCINTERVENTIONS.113.001322. Epub 2014 May 6.

PMID:24803436

Free Article

Association between the quality of life and asymptomatic episodes of paroxysmal atrial fibrillation in the J-RHYTHM II study.

Yamamoto M, Watanabe E, Suzuki T, Yamazaki T, Ohtsu H, Ozaki Y, Ogawa S, Yamashita T; J-RHYTHM II Investigators.

J Cardiol. 2014 Jul;64(1):64-9. doi: 10.1016/j.jjcc.2013.11.011. Epub 2013 Dec 25.

PMID:24373865

Similar articles

Long-term incidence and prognostic factors of the progression of new coronary lesions in Japanese coronary artery disease patients after percutaneous coronary intervention.

Kaneko H, Yajima J, Oikawa Y, Tanaka S, Fukamachi D, Suzuki S, Sagara K, Otsuka T, Matsuno S, Kano H, Uejima T, Koike A, Nagashima K, Kirigaya H, Sawada H, Aizawa T, Yamashita T.

Heart Vessels. 2014 Jul;29(4):437-42. doi: 10.1007/s00380-013-0382-6. Epub 2013 Jun 27.

PMID:23807613

Free PMC Article

Japanese and non-Japanese patient outcomes in the PLATINUM randomized trial comparing the PROMUS Element and XIENCE V everolimus-eluting stents.

Saito S, Hagiwara N, Seki A, Igarashi K, Muramatsu T, Yajima J, Yokoi H, Nakamura M, Fujii K, Isshiki T, Stone GW, Teirstein PS, Meredith IT, Allocco DJ, Dawkins KD.

J Cardiol. 2014 Aug;64(2):105-12. doi: 10.1016/j.jjcc.2013.12.003. Epub 2014 Jan 23.

PMID:24462183

Long-term (8 year) outcomes and predictors of major adverse cardiac events after full metal jacket drug-eluting stent implantation.

Lee CW, Ahn JM, Lee JY, Kim WJ, Park DW, Kang SJ, Lee SW, Kim YH, Park SW, Park SJ; OPERA Steering Committee and Investigators.

Catheter Cardiovasc Interv. 2014 Sep 1;84(3):361-5. doi: 10.1002/ccd.25228. Epub 2014 Apr 21.

PMID:24150889

Optimal duration of dual antiplatelet therapy following treatment with the endeavor zotarolimus-eluting stent in real-world Japanese patients with coronary artery disease (OPERA): study design and rationale.

Nakamura M, Nanto S, Hirayama A, Takayama T, Nishikawa M, Kimura K, Morita S, Aizawa T, Asano R, Matsumaru Y, Hamada C, Isshiki T; OPERA Steering Committee and Investigators.

Catheter Cardiovasc Interv. 2014 Sep 1;84(3):368-74. doi: 10.1002/ccd.25282. Epub 2013 Dec 31.

PMID:24382824

Thromboembolic events in paroxysmal vs. permanent non-valvular atrial fibrillation. Subanalysis of the J-RHYTHM Registry.

Inoue H, Atarashi H, Okumura K, Yamashita T, Kumagai N, Origasa H.

Circ J. 2014;78(10):2388-93. Epub 2014 Aug 6.

PMID:25099606

Free Article

Incidence and impact on midterm outcome of controlled subintimal tracking in patients with successful recanalisation of chronic total occlusions: J-PROCTOR registry.

Muramatsu T, Tsuchikane E, Oikawa Y, Otsuji S, Fujita T, Ochiai M, Kawasaki T, Abe M, Sakurada M, Kishi K.

EuroIntervention. 2014 Oct;10(6):681-8. doi: 10.4244/EIJV10I6A119.

PMID:25330501

Free Article

Prevalence and the long-term prognosis of functional mitral regurgitation in Japanese patients with symptomatic heart failure.

Kaneko H, Suzuki S, Uejima T, Kano H, Matsuno S, Otsuka T, Takai H, Oikawa Y, Yajima J, Koike A, Nagashima K, Kirigaya H, Sagara K, Tanabe H, Sawada H, Aizawa T, Yamashita T.

Heart Vessels. 2014 Nov;29(6):801-7. doi: 10.1007/s00380-013-0448-5. Epub 2013 Nov 26.

PMID:24275908

Blood stasis secondary to heart failure forms warfarin-resistant left atrial thrombus.

Watanabe A, Yamashita N, Yamashita T.

Int Heart J. 2014;55(6):506-11. Epub 2014 Oct 14.

PMID:25310929

Free Article

Functional mitral regurgitation and left ventricular systolic dysfunction in the recent era of cardiovascular clinical practice, an observational cohort study.

Kaneko H, Suzuki S, Uejima T, Kano H, Matsuno S, Takai H, Oikawa Y, Yajima J, Aizawa T, Yamashita T.

Hypertens Res. 2014 Dec;37(12):1082-7. doi: 10.1038/hr.2014.122. Epub 2014 Aug 28.

PMID:25164208

Presentations and outcomes of patients with acute decompensated heart failure admitted in the winter season.

Kaneko H, Suzuki S, Goto M, Arita T, Yuzawa Y, Yagi N, Murata N, Yajima J, Oikawa Y, Sagara K, Otsuka T, Matsuno S, Kano H, Uejima T, Nagashima K, Kirigaya H, Sawada H, Aizawa T, Yamashita T.

J Cardiol. 2014 Dec;64(6):470-5. doi: 10.1016/j.jcc.2014.03.004. Epub 2014 May 5.

PMID:24802170

Uncovered stent implantation in complicated acute aortic dissection type B.

Massmann A, Kunihara T, Fries P, Schneider G, Buecker A, Schäfers HJ.

J Thorac Cardiovasc Surg. 2014 Dec;148(6):3003-11. doi: 10.1016/j.jtcvs.2014.07.053. Epub 2014 Aug 1.

PMID:25256079

Target intensity of anticoagulation with warfarin in Japanese patients with valvular atrial fibrillation – subanalysis of the J-RHYTHM Registry.

Kodani E, Atarashi H, Inoue H, Okumura K, Yamashita T; J-RHYTHM Registry Investigators.

Circ J. 2015;79(2):325-30. doi: 10.1253/circj.CJ-14-1057. Epub 2014 Dec 10.

PMID:25492037

Free Article

Geriatric nutritional risk index in hospitalized heart failure patients.

Kaneko H, Suzuki S, Goto M, Yuzawa Y, Arita T, Yagi N, Murata N, Kato Y, Kano H, Matsuno S, Otsuka T, Uejima T, Takai H, Oikawa Y, Kunihara T, Nagashima K, Kirigaya H, Sagara K, Sawada H, Aizawa T, Yajima J, Yamashita T.

Int J Cardiol. 2015 Feb 15;181:213-5. doi: 10.1016/j.ijcard.2014.11.167. Epub 2014 Nov 26. No abstract available.

PMID:25528314

Clinical significance of a spiral phenomenon in the plot of CO₂ output versus O₂ uptake during exercise in cardiac patients.

Nagayama O, Koike A, Himi T, Sakurada K, Kato Y, Suzuki S, Sato A, Yamashita T, Wasserman K, Aonuma K.

Am J Cardiol. 2015 Mar 1;115(5):691-6. doi: 10.1016/j.amjcard.2014.12.026. Epub 2014 Dec 18.

PMID:25591892

Incidence and predictors of rehospitalization of acute heart failure patients.

Kaneko H, Suzuki S, Goto M, Arita T, Yuzawa Y, Yagi N, Murata N, Kato Y, Kano H, Matsuno S, Otsuka T, Uejima T, Oikawa Y, Sagara K, Nagashima K, Kirigaya H, Sawada H, Aizawa T, Yajima J, Yamashita T.

Int Heart J. 2015;56(2):219-25. doi: 10.1536/ihj.14-290. Epub 2015 Feb 27.

PMID:25740584

Free Article

Warfarin anticoagulation intensity in Japanese nonvalvular atrial fibrillation patients: a J-RHYTHM Registry analysis.

Yamashita T, Inoue H, Okumura K, Atarashi H, Origasa H; J-RHYTHM Registry Investigators.

J Cardiol. 2015 Mar;65(3):175-7. doi: 10.1016/j.jcc.2014.07.013. Epub 2014 Aug 26.

PMID:25169015